

Designed for



**The Ultimate Computer Reference**



CD-ROM  
Included



*The Comprehensive Standard for  
Business, School, Library, and Home*

**Over  
7,600  
Terms**

**Additional Terms  
Available On Line  
Quarterly**

# Microsoft Press<sup>®</sup> **Computer Dictionary** Third Edition

- **Over 300 illustrations and diagrams**
- **Extensive Internet coverage**
- **Featured in Microsoft<sup>®</sup> Bookshelf<sup>®</sup>**
- **Covers software, hardware, concepts, and more!**

**Microsoft<sup>®</sup> Press**

**PUBLISHED BY**

Microsoft Press  
A Division of Microsoft Corporation  
One Microsoft Way  
Redmond, Washington 98052-6399

Copyright © 1997 by Microsoft Corporation

All rights reserved. No part of the contents of this book may be reproduced or transmitted in any form or by any means without the written permission of the publisher.

Library of Congress Cataloging-in-Publication Data  
Microsoft Press Computer Dictionary. -- 3rd ed.

p. cm.

ISBN 1-57231-446-X

1. Computers--Dictionaries. 2. Microcomputers--Dictionaries.

I. Microsoft Press.

QA76.15.M54 1997

004'.03--dc21

97-15489

CIP

Printed and bound in the United States of America.

4 5 6 7 8 9 QMQM 2 1 0 9 8

Distributed to the book trade in Canada by Macmillan of Canada, a division of Canada Publishing Corporation.

A CIP catalogue record for this book is available from the British Library.

Microsoft Press books are available through booksellers and distributors worldwide. For further information about international editions, contact your local Microsoft Corporation office. Or contact Microsoft Press International directly at fax (425) 936-7329.

Macintosh, Power Macintosh, QuickTime, and TrueType are registered trademarks of Apple Computer, Inc. Intel is a registered trademark of Intel Corporation. DirectInput, DirectX, Microsoft, Microsoft Press, MS-DOS, Visual Basic, Visual C++, Win32, Win32s, Windows, Windows NT, and XENIX are registered trademarks and ActiveMovie, ActiveX, and Visual J++ are trademarks of Microsoft Corporation. Java is a trademark of Sun Microsystems, Inc. Other product and company names mentioned herein may be the trademarks of their respective owners.

**Acquisitions Editor:** Kim Fryer

**Project Editor:** Maureen Williams Zimmerman, Anne Taussig

**Technical Editors:** Dail Magee Jr., Gary Nelson, Jean Ross, Jim Fuchs, John Conrow, Kurt Meyer,  
Robert Lyon, Roslyn Lutsch

**T** \T\ *prefix* See *tera-*.

**T1** or **T-1** \T-wən\ *n.* A T-carrier that can handle 1.544 Mbps or 24 voice channels. Although originally designed by AT&T to carry voice calls, this high-bandwidth telephone line can also transmit text and images. T1 lines are commonly used by larger organizations for Internet connectivity. *See also* T-carrier. *Compare* fractional T1, T2, T3, T4.

**T.120 standard** \T-wən-twen-tē stan-dərd\ *n.* A family of International Telecommunications Union (ITU) specifications for multipoint data communications services within computer applications, such as conferencing and multipoint file transfer.

**T2** or **T-2** \T-tōd\ *n.* A T-carrier that can handle 6.312 Mbps (megabits per second) or 96 voice channels. *See also* T-carrier. *Compare* T1, T3, T4.

**T3** or **T-3** \T-thrē\ *n.* A T-carrier that can handle 44.736 Mbps (megabits per second) or 672 voice channels. *See also* T-carrier. *Compare* T1, T2, T4.

**T4** or **T-4** \T-fōr\ *n.* A T-carrier that can handle 274.176 Mbps or 4,032 voice channels. *See also* T-carrier. *Compare* T1, T2, T3.

**tab character** \tab-kâr-ek-tər\ *n.* A character used to align lines and columns on screen and in print. Although a tab is visually indistinguishable from a series of blank spaces in most programs, the tab character and the space character are different to a computer. A tab is a single character and therefore can be added, deleted, or overtyped with a single keystroke. The ASCII coding scheme includes two codes for tab characters: a horizontal tab for spacing across the screen or page and a vertical tab for spacing down the screen or page. *See also* Tab key.

**Tab key** \tab-kē\ *n.* A key, often labeled with both a left-pointing and a right-pointing arrow, that traditionally (as in word processing) is used to insert tab characters into a document. In other applications, such as menu-driven programs, the Tab key is often used to move the on-screen high-

light from place to place. Many database and spreadsheet programs allow the user to press the Tab key to move around within a record or between cells. The word *tab* is short for "tabulator," which was the name given to this key on typewriters, where it was used in creating tables. *See also* tab character.

**table** \tā-bl\ *n.* **1.** In programming, a data structure usually consisting of a list of entries, each entry being identified by a unique key and containing a set of related values. A table is often implemented as an array of records, a linked list, or (in more primitive languages) several arrays of different data types, all using a common indexing scheme. *See also* array, list, record<sup>1</sup>. **2.** In relational databases, a data structure characterized by rows and columns, with data occupying or potentially occupying each cell formed by a row-column intersection. The table is the underlying structure of a relation. *See also* relational database. **3.** In word processing, desktop publishing, and in HTML documents, a block of text formatted in aligned rows and columns.

**table lookup** \tā-bl lōk-up\ *n.* The process of using a known value to search for data in a previously constructed table of values—for example, using a purchase price to search a tax table for the appropriate sales tax. *See also* lookup.

**tablet** \tab-lət\ *n.* *See* graphics tablet.

**tabulate** \tab-yə-lāt\ *vb.* **1.** To total a row or column of numbers. **2.** To arrange information in table form.

**TACACS** \T-A-C-A-C-S\ *n.* Acronym for **T**erminal **A**ccess **C**ontroller **A**ccess **C**ontrol **S**ystem. A network access technique in which users log into a single centralized server that contains a database of authorized accounts. After the access server authenticates the user, it forwards the login information to the data server requested by the user. *See also* authentication, server (definition 2).